

SampleReady® Culture Media Instructions for Use

Tryptic Soy Broth, 6.75g (G311-6.75) SampleReady® GAMMA IRRADIATED SOLUBLE POUCH

USE: Tryptic (Trypticase) Soy Broth (Soybean-Casein Digest Medium) is a general-purpose medium used in qualitative procedures for the cultivation of fastidious and nonfastidious microorganisms from a variety of clinical and nonclinical specimens.

DESCRIPTION: Tryptic (Trypticase) Soy Broth (TSB) is a nutritious medium that will support the growth of a wide variety of microorganisms, including common aerobic, facultative, and anaerobic bacteria and fungi. This formulation is included in the USP as a medium for use in performing microbial enumeration tests and tests for specified microorganisms when testing nonsterile pharmaceutical products. TSB was chosen by the USDA Animal and Plant Health Inspection Service for detecting viable bacteria in live vaccines. TSB is recommended for testing bacterial contaminants in cosmetics and complies with established standards in the food industry. Because of its capacity for growth promotion, TSB is also recommended for use as the inoculum broth for disc diffusion and agar dilution antimicrobial susceptibility testing as standardized by the Clinical and Laboratory Standards Institute (CLSI).

FORMULA:

Pancreatic Digest of Casein	17.0	g		
Papaic Digest of Soybean	3.0	g		
Dextrose	2.5	g		
Sodium Chloride	5.0	g		
Dipotassium Phosphate	2.5	g		
Note: Medium may be adjusted and/or supplemented as required to				
meet performance criteria.				

Final pH: 7.3 ± 0.2 at 25°C

PHYSICAL APPEARANCE:

Dehydrated Appearance – Light beige, free-flowing, homogeneous.

Prepared Appearance – Light amber, clear.

PROCEDURE: Carefully open the Mylar bag and aseptically transfer one soluble pouch to a container with 225 mL sterile water and mix. Dissolve completely with repeated stirring or agitation. Once dissolved, the medium is ready for testing applications. Consult reference methods for complete procedures.

EXPECTED RESULTS: Cultural response after 18-72 hours at 35°C.

Microorganism	CFU	Growth
Staphlococcus epidermidis ATCC™ 12228	10 – 100	+
Streptococcus pneumoniae ATCC™ 19615	10-100	+
S. enterica ser. Typhimurium ATCC™ 14028	10 – 100	+
Aspergillus brasiliensis (niger) ATCC™ 16404	< 100	+
Bacillus subtillis ATCC™ 6633	< 100	+
Canida albicans ATCC™ 10231	< 100	+
Escherichia coli ATCC™ 8739	< 100	+
Pseudomonas aeruginosa ATCC™ 9027	< 100	+
Staphylococcus aureus ATCC™ 6538	< 100	+

STORAGE: Store the sealed Mylar bag at 2-30°C in a dry environment for up to the expiration date.

LIMITATIONS: Once opened, use all pouches within the Mylar bag as soon as possible. Use prepared media within 3 hours for best results. The pouches should be discarded if there has been a change from the original color, or the encapsulated powder is not free flowing.

For laboratory use only.

SIZES AVAILABLE: 6.75g, 15g, 33.7g, 101g

PACKAGING: One box contains a total of 700 pouches containing 6.75g of dehydrated culture media each. Additional configurations are available upon request.

REFERENCES:

- 1. United States Pharmacopeial Convention, Inc. 2008. The United States pharmacopeia 31/The national formulary 26, Supp. 1, 8-1-08, online. United States Pharmacopeial Convention, Inc., Rockville, Md.
- 2. European Directorate for the Quality of Medicines and Healthcare. 2008. The European pharmacopoeia, 6th ed., Supp. 1, 4-1-2008, online. European Directorate for the Quality of Medicines and Healthcare, Council of Europe, 226 Avenue de Colmar BP907-, F-67029 Strasbourg Cedex 1, France.
- Japanese Ministry of Health, Labour and Welfare.
 2006. The Japanese pharmacopoeia, 15th ed.,

Millennium LifeSciences, Inc. CultureMediaConcepts® 970 E. Orangethorpe Ave, Unit A Anaheim, CA 92801 TEL: (714) 773-1726 FAX: (714) 773-1793



SampleReady® Culture Media Instructions for Use

online. Japanese Ministry of Health, Labour and Welfare.

- MacFaddin. 1985. Media for isolation-cultivationidentification-maintenance of medical bacteria, vol.
 Williams & Wilkins, Baltimore, Md.
- Forbes, Sahm and Weissfeld. 2007. Bailey & Scott's diagnostic microbiology, 12th ed. Mosby Inc., St. Louis, Mo.
- 6. Fredette and Forget. 1961. The sensitivity of several media to small inocula. Extract from a paper presented at the Canadian Society of Microbiology Annual Meeting, June 12-15. Kingston, Ontario, Canada.
- Isenberg and Garcia (ed.). 2004 (update, 2007).
 Clinical microbiology procedures handbook, 2nd ed.
 American Society for Microbiology, Washington, D.C.
- 8. Federal Register. 1992. Fed. Regist. 21:113.26.
- Curry, Joyce and McEwen. 1993. CTFA microbiology guidelines. The Cosmetic, Toiletry and Fragrance Association, Inc., Washington, D.C.
- U.S. Food and Drug Administration. 2001.
 Bacteriological analytical manual, online. AOAC
 International, Gaithersburg, Md.
- 11. Wehr and Frank (ed.). 2004. Standard methods for the examination of dairy products, 17th ed. American Public Health Association, Washington, D.C.
- 12. Horwitz (ed.). 2007. Official methods of analysis of AOAC International, 18th ed., online. AOAC International, Gaithersburg, Md.
- 13. Downes and Ito (ed.). 2001. Compendium of methods for the microbiological examination of foods, 4th ed. American Public Health Association, Washington, D.C.
- 14. Health Canada. The compendium of analytical methods, online. Food Directorate, Health Products and food Branch, Health Canada, Ottawa, Ontario Canada.
- 15. U.S. Department of Agriculture. Microbiology laboratory guidebook, online. Food Safety and Inspection Service, USDA, Washington, D.C.
- 16. International Organization for Standardization. 1996.Microbiology of food and animal feeding stuffs –

- Horizontal method for the detection and enumeration of Listeria monocytogenes Part 1: Detection method. ISO 11290-1, 1st ed., 1996-12-15. ISO, Geneva, Switzerland.
- 17. Clinical and Laboratory Standards Institute. 2006. Approved Standard M2-A9: Performance standards for antimicrobial disk susceptibility tests, 9th ed., CLSI, Wayne, Pa.
- 18. Clinical and Laboratory Standards Institute. 2006. Approved Standard M7-A7: Methods for dilution antimicrobial susceptibility tests for bacteria that grow aerobically, 7th ed., CLSI, Wayne, Pa.
- 19. Murray, Baron, Jorgensen, Landry and Pfaller (ed.). 2007. Manual of clinical microbiology, 9th ed. American Society for Microbiology, Washington, D.C.
- 20. Fildes. 1920. Br. J. Exp. Pathol. 1:129.

Millennium LifeSciences, Inc. CultureMediaConcepts® 970 E. Orangethorpe Ave, Unit A Anaheim, CA 92801 TEL: (714) 773-1726 FAX: (714) 773-1793